

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/507,079	02/18/2000	Masataka Kadowaki	10876.45US01 8450	
23552	7590 05/20/2005	EXAMINER		INER
MERCHANT & GOULD PC P.O. BOX 2903			RIDLEY, BASIA ANNA	
MINNEAPOLIS, MN 55402-0903			ART UNIT	PAPER NUMBER
		•	1764	
			DATE MAILED: 05/20/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/507,079	KADOWAKI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Basia Ridley 1/ C	1764				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 10 F	ebruary 2005.					
	action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
 4) Claim(s) 1,4 and 7-12 is/are pending in the application. 4a) Of the above claim(s) 4,10 and 11 is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1,7-9 and 12 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Application Papers						
 9) ☐ The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 30 December 2003 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) □ All b) □ Some * c) □ None of: 1. □ Certified copies of the priority documents have been received. 2. □ Certified copies of the priority documents have been received in Application No 3. □ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)		\int				
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4)					

Page 2

Application/Control Number: 09/507,079

Art Unit: 1764

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claim(s) 1, 7 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Trocciola et al. (USP 5,330,727) in view of in view of De Rycker et al. (USP 2,887,365).

Regarding claims 1, 7 and 9 Trocciola et al. discloses a CO remover comprising:

- an air mixer (19) for mixing air with hydrogen-rich gas including CO to generate mixed gas;
- a selective oxidative catalytic device (20, 30) for selectively oxidizing the CO by having the mixed gas pass through a selective oxidative catalyst bed (22, 32);
- the selective oxidative catalytic device including a gas passing tube (21, 31) that has the selective oxidative catalyst bed (22, 32); and
- at least one gas blending unit (18, 24, 34), for blending part of the mixed gas that is passing through the selective oxidative catalyst bed (22, 32) further from an inner surface of the gas passing tube (21, 31) and remaining part of the mixed gas that is passing through the catalyst bed (22, 32) nearer to the inner surface of the gas passing tube (21, 31) at a point within the selective oxidative catalyst bed; wherein
- the gas blending unit (24, 34) is formed from an element partially obstructing the gas passing tube (Fig. 1); and
- the element (24, 34) is circularly disposed around the inner surface of the gas passing tube (Fig. 1).

Additionally the reference discloses that it is desired to maintain the temperature of the of the catalyst within predetermined limit to avoid deactivation of catalyst (C1/L45-60) and to minimize the carbon monoxide in the hydrogen rich gas (C2/L35-39) by, for example cooling medium baths (C7/L11-31), but the reference does not explicitly disclose the gas blending unit being formed from an element projecting inward from the inner surface of the gas passing tube, wherein the element is a washer ring.

De Rycker et al. teaches a reactor for performing exothermic gas reactions (C1/L15-35) wherein the reactor comprises:

- a gas passing tube (3) that has a catalyst bed (4); and
- at least one gas blending unit (9), for blending part of the gas that is passing through the catalyst bed (4) further from an inner surface of the gas passing tube (3) and remaining part of the gas that is passing through the catalyst bed (4) nearer to the inner surface of the gas passing tube (3) at a point within the catalyst bed;
- a double walled cylinder (Fig. 1, walls 1 and 3) with an annular clearance (6) formed therebetween for a cooling liquid (C1/L15-22) to pass through, the cylinder being disposed at least upstream from the gas blending unit (9);
- wherein the gas blending unit (9) is formed from an element projecting inward form the inner surface of the gas passing tube so as to partially obstruct the gas passing tube (Fig. 1);
- wherein the element (9) is circularly disposed around the inner surface of the gas passing tube (Fig. 1);
- wherein said element is a washer ring (Fig. 1).

Further De Rycker et al. teaches that the disclosed reactor structure offers an advantage

Application/Control Number: 09/507,079

Art Unit: 1764

of providing reactor with even temperatures throughout the catalyst bed and which provides more structure resistant to breaking and deformation (C1/L36-C3/L40).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the CO remover of Trocciola et al. as taught by De Rycker et al. for the purpose of providing reactor with even temperatures throughout the catalyst bed and which provides more structure resistant to breaking and deformation.

Regarding claim 8, Trocciola et al. in view of De Rycker et al. disclose all of the claim limitations as set forth above. Additionally Trocciola et al. discloses the CO remover wherein a portion of the internal sectional area of the gas passing tube is obstructed by the element. While the reference does not explicitly disclose the specific percentage of the internal sectional area which is being obstructed, the size of the element, and therefore the specific percentage of the internal sectional area which is being obstructed is not considered to confer patentability to the claims. As the amount of cooling provided to the remover is variable(s) that can be modified, among others, by adjusting said size of the element, and therefore the specific percentage of the internal sectional area which is being obstructed, with said cooling increasing as the size of the element and the specific percentage of the internal sectional area which is being obstructed is increased, the precise size of the element would have been considered a result effective variable by one having ordinary skill in the art at the time the invention was made. As such, without showing unexpected results, the claimed size of the element and the specific percentage of the internal sectional area which is being obstructed cannot be considered critical. Accordingly, one of ordinary skill in the art at the time the invention was made would have optimized, by routine experimentation, the size of the element and the specific percentage of the internal sectional area Application/Control Number: 09/507,079

Art Unit: 1764

which is being obstructed in the remover of Trocciola et al. to obtain the desired cooling (*In re Boesch*, 617 F.2d. 272, 205 USPQ 215 (CCPA 1980)), since it has been held that where the general conditions of the claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. (*In re Aller*, 105 USPQ 223).

Regarding claim 12, Trocciola et al. in view of De Rycker et al. disclose all of the claim limitations as set forth above. Additionally Trocciola et al. discloses the CO remover further comprising:

- a cooling unit for cooling the selective oxidative catalyst bed from outside upstream form the gas blending unit (C7/L11-31);
- wherein the cooling unit includes a channel adjacent to an outer surface of the gas passing tube, through which cooling medium passes (C7/L11-31); and
- wherein a length between a start of the selective oxidative catalyst bed in a direction of a flow of the mixed gas and the gas blending unit (18) is no shorter than 1/3 of a length between the start of the selective oxidative catalyst bed and the end of the selective oxidative catalyst bed in the direction of the flow of the mixed gas (Fig. 1).
- This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(f) or (g) prior art under 35 U.S.C. 103(a).

Application/Control Number: 09/507,079 Page 6

Art Unit: 1764

Response to Arguments

4. Applicant's arguments filed on 10 February 2005 have been considered but are moot in view of the new ground(s) of rejection.

5. The applicant argues that De Rycker et al. does not teach cooling liquid. This is not found persuasive, as De Rycker et al. teaches that reactants are being pre-heated by providing cooling to the reactor (C3/L64-72) and further the reference teaches that reactants can be liquid (C1/L15-22).

Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner Basia Ridley, whose telephone number is (571) 272-1453.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola, can be reached on (571) 272-1444.

Application/Control Number: 09/507,079

Art Unit: 1764

The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Technical Center 1700 General Information Telephone No. is (571) 272-1700. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Questions on access to the Private PAIR system should be directed to the Electronic Business Center (EBC) at (866) 217-9197 (toll-free).

Basia Ridley

Primary Examiner

Art Unit 1764

BR

May 16, 2005